

CRYNOMIC NOZZLES, NOZZLE EXTENSIONS AND PELLET SIZE LIMITERS

Nozzles for one-hose guns (R)

Picture	Part number	Description	Air consumption	Length	Width/ Ø/Angle	Material
	21140	Standard round nozzle	3m ³ /min at 6bar 140cfm @ 100psi	144mm 5,7"	11mm 7/16"	Thermo- plastic
	21140-A	Round nozzle	3m ³ /min at 6bar 140cfm @ 100psi	144mm 5,7"	11mm 7/16"	Aluminium
	21163	Flat nozzle	3m ³ /min at 6bar 140cfm @ 100psi	206mm 8"	30mm 1,2"	Stainless steel
	21164	Flat nozzle	3m ³ /min at 6bar 140cfm @ 100psi	256mm 10"	45mm 1,8"	Stainless steel
	21167	Flat nozzle	3m ³ /min at 6bar 140cfm @ 100psi	361mm 14"	60mm 2,4"	Stainless steel
	21152	Bent round nozzle	3m ³ /min at 6bar 140cfm @ 100psi	200- 499mm 8-20"	10mm 0,4"/ 30°-90°	Stainless steel
	21152-H	Bent round nozzle	3m ³ /min at 6bar 140cfm @ 100psi	500- 1000mm 20-40"	10mm 0,4"/ 30°-90°	Stainless steel
	21163-B	Bent flat nozzle	3m ³ /min at 6bar 140cfm @ 100psi	206mm 8"	30mm 1,2"/ 30°	Stainless steel
	21164-B	Bent flat nozzle	3m ³ /min at 6bar 140cfm @ 100psi	270mm 10"	45mm 1,8"/30°	Stainless steel
	21170-S3-8	Splitter nozzle	3m ³ /min at 6bar 140cfm @ 100psi	178 mm 7,0"	11mm 7/16"	Thermoplastic Stainless steel
	21148-05	Nozzle extension with handle	3m ³ /min at 6bar 140cfm @ 100psi	500mm 20"		Stainless steel
	21148-10	Nozzle extension with handle	3m ³ /min at 6bar 140cfm @ 100psi	1000mm 40"		Stainless steel
	21148-15	Nozzle extension with handle	3m ³ /min at 6 bar 140cfm @ 100psi	1500mm 60"		Stainless steel
	21148-20	Nozzle extension with handle	3m ³ /min at 6bar 140cfm @ 100psi	2000mm 80"		Stainless steel
	21290	Handle for nozzle extension				Thermo- plastic

Low air consumption nozzles for one-hose gun MG1004 (R)

Picture	Part number	Description	Air consumption	Length	Width/ Angle	Material
	21141	Round nozzle	2m ³ /min at 6bar 80cfm @ 100psi	93mm 3,7"	8mm 0,3"	Thermoplastic
	21141-A	Round nozzle	2m ³ /min at 6bar 80cfm @ 100psi	93mm 3,7"	8mm 0,3"	Aluminium
	21162-F2	Flat nozzle	2m ³ /min at 6bar 80cfm @ 100psi	180mm 7"	25mm 1"	Stainless steel
	21141-QC	Round nozzle with quick coupling	2m ³ /min at 6bar 80cfm @ 100psi	93mm 3,7"	8mm 0,3"	Thermoplastic
	21141-Flex	Round nozzle with flexible end	2m ³ /min at 6bar 80cfm @ 100psi	500mm 19,7"	14mm 0,5"	Aluminium

Nozzles for two-hose gun G2001 (R)

Picture	Part number	Description	Air consumption	Length	Width/ Ø/Angle	Material
	21210	Round nozzle	3 m ³ /min at 6bar 250cfm @ 100psi	240mm 9,4"	18mm 0,7"	Aluminium
	21211	Extended round nozzle	3 m ³ /min at 6bar 250cfm @ 100psi	1000mm 40"	30mm 1,2"	Aluminium
	21220	Bent round nozzle	3 m ³ /min at 6bar 250cfm @ 100psi	240mm 9,4"	18mm 0,7"/ 50°	Aluminium
	21221	Extended bent round nozzle	3 m ³ /min at 6bar 250cfm @ 100psi	500mm 20"	30mm 1,2"/ 50°	Stainless steel
	21230	Flat nozzle	3 m ³ /min at 6bar 250cfm @ 100psi	350mm 14"	60mm 2,4"	Stainless steel
	21231	Extended flat nozzle	3 m ³ /min at 6bar 250cfm @ 100psi	900mm 36"	60mm 2,4"	Stainless steel
	21240	Bent flat nozzle	3 m ³ /min at 6bar 250cfm @ 100psi	350mm 14"	60mm 2,4"/ 25°	Stainless steel

Pellet crushers (quick coupling)

Picture	Part number	Description
	21088	Standard pellet crusher
	21089	Variable pellet crusher 50-100%
	21079	Variable pellet crusher 100-200%

The pellet crusher pulverises the 3mm pellets for cleaning objects or surfaces and deep cleaning of hard to reach spots.

Note: easy to mount at machine and/or gun. All our crushers on all the above mentioned nozzles.

Softy pellet size limiter

Picture	Part number	Description
	21076-0.5	Softy pellet size limiter: 0,5mm/0,02"
	21076-0.7	Softy pellet size limiter: 0,7mm/0,03"
	21076-1.0	Softy pellet size limiter: 1,0mm/0,04"

Special grid construction that cuts and limits crushed pellets. Used for cleaning sensitive objects or surfaces and for deep cleaning of hard to reach spots.

Note: optimal performance in combination with 2 pellet crushers at blaster size.